UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/631,351	07/31/2003	Oliver Harnack	450117-04465	3470
22850 7590 08/08/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			EXAMINER	
1940 DUKE S	TREET	MAIER & NEOSTADI, I.C.	YU, MELANIE J	
ALEXANDRI	A, VA 22314		ART UNIT PAPER NUMBE	
			1641	
·		•	NOTIFICATION DATE	DELIVERY MODE
			08/08/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

		•				
	Application No.	Applicant(s)	r			
	10/631,351	HARNACK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Melanie Yu	1641				
The MAILING DATE of this communication appeared for Reply	oears on the cover sheet w	th the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MON e, cause the application to become Al	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status			•			
1) Responsive to communication(s) filed on 21 N	fay 2007.		•			
<u> </u>						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	Ex parte Quayle, 1935 C.E	. 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) 2-20 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 2-20 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examine	er.					
10) The drawing(s) filed on 31 July 2003 is/are: a)	⊠ accepted or b)□ object	ted to by the Examiner.				
Applicant may not request that any objection to the	drawing(s) be held in abeya	ice. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	•					
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Burea * See the attached detailed Office action for a list	ts have been received. Is have been received in A rity documents have been u (PCT Rule 17.2(a)).	pplication No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(Summary (PTO-413) s)/Mail Date nformal Patent Application				

DETAILED ACTION

1. Applicant's response filed 21 May 2007 has been entered and considered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 2. Claims 2-11, 14-18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Klein et al. (Ordered stretching of single molecules of deoxyribose nucleic acid between microfabricated polystyrene lines, 2001, Applied Physics, vol. 78, pgs. 2396-2398).

Regarding claims 2, 3 and 14-18 Ford et al. teach a method of attaching a hydrophilic species to hydrophilic macromolecules immobilized on a surface, comprising the steps: providing a surface (par. 0019; par. 0078; par. 0082); immobilizing hydrophilic nucleic acids (hydrophilic macromolecules) on the surface (par. 0019; par. 0078; par. 0082); and exposing the nucleic acids immobilized on the surface to metal complexes (par. 0079) of gold nanoparticles (a hydrophilic species, par. 0010), whereby the hydrophilic species are attached to the hydrophilic macromolecules (metallization of DNA shows metal

Application/Control Number: 10/631,351

Art Unit: 1641

particle attachment of DNA, par. 0079), and wherein the nucleic acid is DNA (par. 0020) and is double-stranded or single-stranded (par. 0020). Ford et al. fail to teach the surface being hydrophobic.

Klein et al. teach a hydrophobic substrate (polystyrene coated silicon, pg. 2396, right column, second paragraph) having a nucleic acid immobilized directly to the polystyrene surface (one end of the DNA binds to polystyrene, pg. 2396, right column, second paragraph), in order to provide an attachment method that is highly parallel.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of Ford et al., attachment of one end of nucleic acids on a hydrophobic surface as taught by Klein et al., in order to provide an attachment method that is easy to employ and results in high yield.

With respect to claims 4 and 11, Ford et al. teach the hydrophilic species in a water solution (par. 0023).

Regarding claims 5, 6 and 20, Ford et al. teach an additional step of growing an attached hydrophilic species to a larger size and wherein the attached hydrophilic species is exposed to an electroless plating solution (enlargement of particles by electroless deposition, par. 0010). Ford et al. further teach the electroless plating solution (par. 0011; par. 0030) comprising a gold salt and a reducing agent (solution contains metal ion species of Au and reducing reagent, par. 0011).

With respect to claims 7-10, Klein et al. teach immobilizing the hydrophilic macromolecules on the surface by applying the hydrophilic macromolecules to the surface by dip-coating (pg. 2396, right column, second paragraph). Ford et al. teach exposing the hydrophilic macromolecules to the species for 10 minutes (par. 0079), which is encompassed by the recited ranges of between 1 second and 20 minutes and between 10 seconds and 10 minutes. Wherein the surface is hydrophobic as taught by Klein et al.

3. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Klein et al. (Ordered stretching of single molecules of deoxyribose nucleic acid between microfabricated polystyrene lines, 2001, Applied Physics, vol. 78, pgs. 2396-2398) in light of Tajima et al. (US 4,649,071).

Ford et al. in view of Klein et al. teach a hydrophobic substrate being polystyrene, but fail to teach the specific water contact angle properties of polystyrene. However, Tajima et al. teach that an untreated polystyrene surface has water contact angle of 85° (example 5), which is encompassed by the recited ranges of from 30° to 110° and 60° to 110°.

4. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Klein et al. (Ordered stretching of single molecules of deoxyribose nucleic acid between microfabricated polystyrene lines, 2001, Applied Physics, vol. 78, pgs. 2396-2398), as applied to claim 2, further in view of Berning et al. (198 Au-Labeled Hydroxymethyl Phosphines as Models for Potential Therapeutic Pharmaceuticals, 1998, Nuclear Medicine & Biology, Vol. 25, pages 577-583).

Ford et al. in view of Klein et al. teach a method of attaching hydrophilic species to hydrophilic macromolecules immobilized on a hydrophobic surface, but fail to teach the hydrophilic species being tris(hydroxymethyl)phosphine-gold nanoparticles.

Berning et al. teach a hydrophilic species of tris(hydroxymethyl)phosphine-gold nanoparticles (581, Discussion, 1st paragraph), in order to evaluate their potential utility in the design of Au(I)-containing drugs.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of Ford et al. in view of Klein et al., a tris(hydroxymethyl)phosphine-gold nanoparticle as taught by Berning et al., in order to provide metal complexes that exhibit *in vitro* stability.

Application/Control Number: 10/631,351

Art Unit: 1641

5. Claims 2-11, 14-16 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Schueller et al. (US 2002/0050220).

Regarding claims 2, 3 and 14-18 Ford et al. teach a method of attaching a hydrophilic species to hydrophilic macromolecules immobilized on a surface, comprising the steps: providing a surface (par. 0019; par. 0078; par. 0082); immobilizing hydrophilic nucleic acids (hydrophilic macromolecules) on the surface (par. 0019; par. 0078; par. 0082); and exposing the nucleic acids immobilized on the surface to metal complexes (par. 0079) of gold nanoparticles (a hydrophilic species, par. 0010), whereby the hydrophilic species are attached to the hydrophilic macromolecules (metallization of DNA shows metal particle attachment of DNA, par. 0079), and wherein the nucleic acid is DNA (par. 0020) and is double-stranded or single-stranded (par. 0020). Ford et al. fail to teach the surface being hydrophobic.

Schueller et al. teach a hydrophobic substrate (polystyrene, par. 68) having a biological molecule immobilized directly to the polystyrene surface (biological molecules stamped directly onto a polystyrene surface, par. 68; biological molecule may be a protein or nucleic acid, par. 68), in order to provide an improved method for stamping materials on a substrate.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of Ford et al., nucleic acids directly onto a hydrophobic surface as taught by Schueller et al., in order to provide a method for attachment of molecules that is more efficiently processed.

With respect to claims 4 and 11, Ford et al. teach the hydrophilic species in a water solution (par. 0023).

Regarding claims 5, 6 and 20, Ford et al. teach an additional step of growing an attached hydrophilic species to a larger size and wherein the attached hydrophilic species is exposed to an electroless plating solution (enlargement of particles by electroless deposition, par. 0010). Ford et al. further teach the electroless plating solution (par. 0011; par. 0030) comprising a gold salt and a reducing agent (solution contains metal ion species of Au and reducing reagent, par. 0011).

With respect to claims 7-10, Ford et al. teach immobilizing the hydrophilic macromolecules on the surface by applying the hydrophilic macromolecules to the surface (par. 0078) by spin-coating (par. 0078). Ford et al. further teach exposing the hydrophilic macromolecules to the species for 10 minutes (par. 0079), which is encompassed by the recited ranges of between 1 second and 20 minutes and between 10 seconds and 10 minutes. Wherein the surface is hydrophobic as taught by Schueller et al.

6. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Schueller et al. (US 2002/0050220) in light of Tajima et al. (US 4,649,071).

Ford et al. in view of Schueller et al. teach a hydrophobic substrate being polystyrene, but fail to teach the specific water contact angle properties of polystyrene. However, Tajima et al. teach that an untreated polystyrene surface has water contact angle of 85° (example 5), which is encompassed by the recited ranges of from 30° to 110° and 60° to 110°.

7. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ford et al. (US 2002/0065242) in view of Schueller et al. (US 2002/0050220), as applied to claim 2, further in view of Berning et al. (198 Au-Labeled Hydroxymethyl Phosphines as Models for Potential Therapeutic Pharmaceuticals, 1998, Nuclear Medicine & Biology, Vol. 25, pages 577-583).

Ford et al. in view of Schueller et al. teach a method of attaching hydrophilic species to hydrophilic macromolecules immobilized on a hydrophobic surface, but fail to teach the hydrophilic species being tris(hydroxymethyl)phosphine-gold nanoparticles.

Page 7

Berning et al. teach a hydrophilic species of tris(hydroxymethyl)phosphine-gold nanoparticles (581, Discussion, 1st paragraph), in order to evaluate their potential utility in the design of Au(I)-containing drugs.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of Ford et al. in view of Schueller et al., a tris(hydroxymethyl)phosphine-gold nanoparticle as taught by Berning et al., in order to provide metal complexes that exhibit *in vitro* stability.

Double Patenting

8. Claims 2-6, 11, 15 and 17-19 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5, 14 and 15 of copending Application No. 10/210812 in view of Klein et al. (Ordered stretching of single molecules of deoxyribose nucleic acid between microfabricated polystyrene lines, 2001, Applied Physics, vol. 78, pgs. 2396-2398). Claims 1 and 2 of application '812 recite a hydrophilic macromolecule (nucleic acid) exposed to a hydrophilic nanospecies (trips(hydroxymethyl)phosphine-Au) and the complex immobilized on a substrate. However, application '812 fails to recite a hydrophobic substrate. Klein et al. teach immobilization of one end of a nucleic acid on a hydrophobic substrate to provide an attachment method that is highly parallel. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of application '812, attachment of one end of a nucleic acid on a hydrophobic substrate as taught by Klein et al., in order to provide an attachment method that is easy to employ and results in high yield. Claims 3, 4, 5, 14 and 15 of application '812 recite a hydrophilic

Application/Control Number: 10/631,351 Page 8

Art Unit: 1641

species in a water solution, the species grown to a larger size with an electroless plating solution, and the metal for the nanospecies being Au. Claim 4 recites the nucleic acid being single or double stranded.

9. Claims 2-6, 11, 15 and 17-19 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-4, 14-16 and 20 of copending Application No. 09/990,049 in view of Caldwell et al. (US 5,516,703). Claims 1, 2 and 16 of application '049 recite a hydrophilic macromolecule (nucleic acid) exposed to a hydrophilic nanospecies (metal complex) and the complex immobilized on a substrate. However, application '049 fails to recite a hydrophobic substrate. Klein et al. teach immobilization of one end of a nucleic acid on a hydrophobic substrate to provide an attachment method that is highly parallel. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include in the method of application '049, attachment of one end of a nucleic acid on a hydrophobic substrate as taught by Klein et al., in order to provide an attachment method that is easy to employ and results in high yield. Claims 2-4, 14-16 and 20 of application '049 recite a hydrophilic species in a water solution, the species grown to a larger size with an electroless plating solution, and the metal for the nanospecies being Au. Claim 4 recites the nucleic acid being single or double stranded.

This is a <u>provisional</u> obviousness-type double patenting rejection.

Response to Arguments

10. Applicant's arguments filed 21 May 2007 have been fully considered but they are not persuasive. At page 3, Applicant argues that it is undisputed that neither Ford nor Klein discloses or suggests the combination of immobilizing hydrophilic macromolecules on a hydrophobic surface and exposing the macromolecules to a hydrophilic species because one of ordinary skill in the art would have no reason to expect that the method of Ford would

function employing a hydrophobic substrate as disclosed in Klein. Applicant argues that Caldwell et al. teach that hydrophilic species of water soluble globular proteins or antibodies absorb irreversibly and non-specifically to hydrophobic surfaces so one having ordinary skill would not expect to be able to control the deposit of hydrophilic species on a hydrophobic substrate which would have dissuaded one in the art from attempting to replace the hydrophilic substrate of Ford with the hydrophobic substrate of Klein. Applicant's argument is not persuasive because Caldwell et al. focuses on the disadvantages of binding a hydrophilic species of antibodies and proteins directly to a hydrophobic substrate. In the combination of Ford and Klein, the hydrophilic species is a gold nanoparticle and binds to a hydrophilic macromolecule on a substrate. Caldwell et al. teach a hydrophilic species of an antibody or protein bound directly to a hydrophobic substrate. This comparison is improper because the "species" of Ford/Klein (nanoparticles) and Caldwell et al. (antibody/protein) are completely different types of species. The comparison is further improper because the proteins of Caldwell bind directly to the substrate, and the hydrophilic species of Ford/Klein bind to hydrophilic macromolecules on the substrate. Therefore, the teachings of Caldwell et al. are not relevant to the current rejections and do not teach that the nanoparticles of Ford would become non-specifically bound to a hydrophobic substrate of Klein. Furthermore, as taught by Klein et al. one end of a hydrophilic macromolecule, DNA, binds preferentially to a hydrophobic substrate. Ford et al. teach one end of a hydrophilic macromolecule, DNA, binding to a hydrophilic substrate and a hydrophilic species binding to the hydrophilic macromolecule. Therefore, for the advantages stated in the rejection above, it would have been advantageous to bind the hydrophilic macromolecules (DNA) to a hydrophobic substrate as taught by Klein et al. instead of a hydrophilic substrate as taught by Ford et al. and one having ordinary skill in the art would have a reasonable expectation of success. Additionally, since the hydrophilic species (nanoparticles) of Ford et al. bind

Application/Control Number: 10/631,351

Art Unit: 1641

almost exclusively to the immobilized nucleic acid, one having ordinary skill in the art would have had further reasonable expectation of success of binding the nanoparticles to the DNA with a hydrophilic or hydrophobic substrate.

Page 10

- 11. At pages 3-4, Applicant additionally argues that Klein does not suggest employing hydrophobic substrates because Klein discloses that patterned DNA on a substrate can serve as a template for wires, but is taught in the context of hydrophilic substrates. Applicant's argument is not persuasive because Klein is not relied upon for the teaching of wire templates wherein hydrophilic substrates are used, but is instead relied upon for the teaching of DNA immobilized to hydrophobic substrates.
- 12. At page 4, applicant argues that the discovery of exposure of a hydrophilic species to a hydrophobic substrate on which the hydrophilic macromolecules are immobilized provides a desirable, unexpected result and that the hydrophilic species binds almost exclusively to the hydrophilic molecule and does not bind non-specifically to the hydrophobic substrate as would have been expected in view of past experience relating to the binding of hydrophilic species to hydrophobic substrates. Applicant's argument is not persuasive because Ford et al. teach a hydrophilic macromolecule bound to a hydrophilic substrate with a hydrophilic species bound to the hydrophilic macromolecule. Klein et al. teach an advantage of binding the same type of hydrophilic macromolecule (DNA) directly to a hydrophobic substrate. One having ordinary skill would have expected a reasonable expectation of success of binding the DNA hydrophilic macromolecule to a hydrophobic substrate instead of a hydrophilic substrate as evidenced by Klein et al.
- 13. At page 6, applicant argues that one having ordinary skill in the art would not have expected that the method of Ford would function employing a hydrophobic substrate as disclosed in Schueller for the reasons discussed above with respect to Ford and Klein.

 Applicant's argument is not persuasive for the reasons stated above with respect to the

arguments against Ford and Klein. Applicant further argues that Schueller discloses both a hydrophobic substrate and a hydrophilic substrate, which is not a suggesting that hydrophobic substrate be employed because of the difficulties related to non-specific adsorption to hydrophobic substrates. Applicant's argument is not persuasive because according to Schueller the hydrophilic macromolecules will bind directly to the hydrophobic substrate. Ford et al. teach that the hydrophilic species will bind to the hydrophilic macromolecule and does not teach away from a hydrophobic substrate. Therefore it would have been obvious to use a hydrophobic substrate as described by Schueller et al. for a more efficient attachment of molecules to a substrate.

14. Applicant also argues that neither Ford nor Schueller discloses or suggests combining immobilizing hydrophilic macromolecules on a hydrophobic surface and exposing the macromolecules to a hydrophilic species. Applicant's argument is not persuasive because the rejection is made under 35 USC 103(a) and therefore each reference does not teach the method in its entirety.

Conclusion

No claims are allowed.

15. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no

Application/Control Number: 10/631,351 Page 12

Art Unit: 1641

event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Yu whose telephone number is (571) 272-2933. The examiner can normally be reached on M-F 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Milanon

Melanie Yu Patent Examiner Art Unit 1641

> LONG V. LE 67/31/67 SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600